



300



ENGINE & TRANSMISSION

Gvw	6.5 Tons
Chassis Payload	4.2 Tons Approx.
Engine	Hino N04C-VA, 4009 Cc, 4 Cylinder, Air Intake - Turbo
Max Output	136 hp @ 2,500 rpm
Max Torque	392 N.m @ 1,600 rpm
Max. Speed	112 km/h
Gradeability	41.2 deg.
Gearbox Model	M550
TRANSMISSION	5+1, Manual Transmission
CLUTCH	Dry single plate, diaphragm type with damper springs
PARKING BRAKE	Mechanical
Exhaust Brake	Electric - Vacuum
Service Brake	Vacuum Hydraulic

DIMENSION, CAPACITIES & SUSPENSIONS

Wheel Base	3430 Mm
Overall Length	6120 Mm
Overall Width	1995 Mm
Overall Height	2210 Mm
Ground Clearance	185 Mm
Chassis Length	4500 Mm
Rear Overhang	1580 Mm
Rear Axle Width	1930 Mm
Frame Width	750 Mm
Fuel Tank Capacity	100 L
Front Kerb Weight	1525 kg
Rear Kerb Weight	795 kg
Front Axle Weight	3100 kg
Rear Axle Weight	5100 kg
Tyre Size	7 x 7.50R16-12
Frame Width	750 mm
Alternator	24V - 60A
Gross Vehicle Mass	6500 kg
Front Disk	287 Mm
Rwar Disk	287 Mm
Wheels	6-Stud disc wheel
FRONT SUSPENSION	semi-elliptic leaf springs with double acting shock absorbers
REAR SUSPENSION	semi-elliptic main & auxiliary leaf springs with double acting shock absorbers



INTERIOR FEATURES & SAFETY

Spacious interior with air conditioner	Seat belts
Power steering	Sun Visor
CD player	2-way adjustment seat for driver
Speaker and Antenna	

EXTERIOR FEATURES

GCC specification conformity	Dual intermittent wipers
Laminated tinted windshield glass	