



300



ENGINE & TRANSMISSION

Engine	Hino N04C-UV, Turbo, 4009 CC, 4 Cylinder
Max Output	156 ps @ 2,500 rpm
Max Torque	430 N.m @ 1,400 rpm
Gearbox Model	MYY6S
Transmission	6+1, Manual Transmission
Final Gear Ratio	5.857

INTERIOR FEATURES & SAFETY

Anti Brake System (ABS)	SRS Airbag
Audio with Bluetooth	Power Windows
Central Lock	Fog Lamp

DIMENSION, CAPACITIES & SUSPENSIONS

Gross Vehicle Mass	8,500 kg
Chassis Payload	6.1 Tons (Approx.)
Wheel Base	4200 mm
Overall Length	7250 mm
Cabin Width	1995 mm
Overall Height	2255 mm
Cab to Frame end	5575 mm
Rear Overhang	1935 mm
Front Axel	3020 kg
Rear Axel	5760 kg
Front Tread	1655 mm
Rear Tread	1590 mm
Ground Clearance	200 mm
Rear Chassis Height	820 mm
Front Kerb Weight	1595kg
Rear Kerb Weight	870 kg
Alternator	24V - 60A
Fuel Tank Capacity	100 liters
Rear Axle Width	2060 mm
Frame Width	750 mm
Frame Section	750 mm
Parking Brake	Mechanical
Exhaust Brake	Electric-vacumm
Service Brake	Vaccum-Hydraulic
Front Brake	Disk 287 mm
Rear Brake	Disk 287 mm
Tyre Size	215/75R17 5-126/124 -
Tyre	Tubeless

